Mobile Medical

Medical Cart

Medical Cart Manufacturer


In Partnership with:





OUR VISION

FOCUS ON PROVIDING MOBILE
SOLUTIONS TO EACH CUSTOMER
AND BECOMING A RELIABLE
PARTNER AND ONE OF THE
LEADING BRANDS OF GLOBAL
MEDICAL CART MARKET."



ABOUT US

Integrated with 45 years of OEM experience and the resources from the parent company, Better Enterprise, the brand Rollsys is established to provide mobile solutions to the medium and high-end medical cart market. Rollsys provides modularized and customized designs, and is also in pursuit of providing high quality product and customer experience.









PROFESSIONAL MEDICAL CART MANUFACTURER



WIDE SELECTIONS OF MODULARIZED **PARTS**



VARIETY OF CUSTOMIZATION SERVICES



AESTHETIC CRAFTED **PRODUCTS**


With the aesthetic integration of innovation and engineering, Rollsys not only provides a customers to assemble the ideal carts, but allowing customers to build a cart to meet their demands.





MOBILE COMPUTER CART

Rollsys' Mobile Computer Carts are designed to maximize the work efficiency of hospital staff. This Computer Cart is also able to transform into EEG cart by adding other modularized or customized accessories.





DISPLAY SUPPORT


Mount Pattern	75 x 75 / 100 x 100 mm(VESA)
Weight Capacity	17.6 lbs (8kg) for each holder
Swivel	± 20°
Tilt	± 20°
Pivot	360°


The monitor size is according to your application environment

THREE-VIEW DRAWING











BA-003	Hand Lever Foot Pedal	Single Monitor Dual Monitor	Laptop
Н	1006 - :	1194 mm	
W.S	540(W)	x 444	
B.F	(D)mm 4	178(W) x	
Caster	577 (D)mr	n 4" Twin-	



BA-003DF	Hand Lever Foot Pedal	Single Monitor Dual Monitor	Laptop
Н	984 - 1	L194 mm	
W.S	540(W)	x 444	
B.F	(D)mm 4	178(W) x	
Caster	577 (D)mr	n 4" Twin-	
	casters		



BA-003F	Hand Lever Foot Pedal	Single Monitor Dual Monitor	Laptop
Н	984 - 1	194 mm	
W.S	540(W)	x 444	
B.F	(D)mm 4	178(W) x	
Caster	577 (D)mr	n 4" Twin-	
	casters		



BA-004F	Hand Lever	Single Monitor	Laptop
BA 6641	Foot Pedal	Dual Monitor	Εαρίορ
Н	984 - 1	.194 mm	
W.S	540(W)	x 444	
B.F	(D)mm 4	178(W) x	
Caster	577 (D)mn	n 4" Twin-	
	casters		

MOBILE EQUIPMENT CART

Rollsys' Mobile Equipment Cart can be shaped into different form to meet different function of hospital departments. The design of the column can accommodate many kinds of accessories to transform the cart to different functions, such as Computer Carts, EEG carts, and even carts for ECMO system. Below presents an overview of optional accessories and helps you configure your ideal Mobile Equipment Cart.





CAN BE MULTI PURPOSE WITH MODULAR DESIGN

Regular Equipment Cart

Equipped with shelves for medical devices. The base is able to carry counter weight or a battery holder underneath if necessary.



Mobile Workstation

Equipped with a shelf for keyboard, and drawers for storage. The configuration can be changed to fit the needs of users.



ECMO Cart

Equipped with an oxygen cylinder holder and IV poles. There are additional rails and pole can install centrifugal pumps, gas blender, and blood monitor. The base is able to carry the heater/ chiller on top and a battery holder underneath.



EEG cart

Larger shelf available for larger equipment. With rails added at the back of the cart, the arms for the amplifier and patient cable can be installed. There is also an extension pole for the camera.






MOBILE EQUIPMENT CART

Modular Design Concept

Rollsys designed each parts and accessories to be interchangeable, maximizing the product variety.



PRODUCT FEATURES





Cable Management



Height Adjustable Shelf

THREE-VIEW DRAWING







EC-001

Н	1212mm
Shelf	457(W) x 360(D) mm/2 Shelves
B.F	478(W) x 577(D) mm
Caster	4" twin-casters
Accessories	N/A



EC-002

Н	1212mm
Shelf	457(W) x 360(D) mm/3 Shelves
B.F	478(W) x 577(D) mm
Caster	4" twin-casters
Accessories	Basket



MOBILE EQUIPMENT CART

Standard Selection

Standard Equipment Carts listed here are to provide an idea of how each model is designed.



EC-GBOX

Н	809 mm
Shelf	457(W)x360(D) mm/ 1 Shelf
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	Utility Bin/Basket/ Probe Holder



ECM-002

Н	812 mm
Shelf	457(W)x360(D) mm/ 2 Shelves
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	N/A



ECM-003

Н	812 mm
Shelf	457(W)x360(D) mm/ 1 Shelf
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	Utility Bin



ECM-005

Н	812 mm
Shelf	N/A
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	Storage Drawer

The monitor size is according to your application environment

	DISPLAY SUPPORT
Mount Pattern	75 x 75 / 100 x 100 mm(VESA)
Weight Capacity	17.6 lbs (8kg) for each holder
Swivel	± 20°
Tilt	± 20°
Pivot	360°





EC-005D

Н	1552mm
Shelf	457(W)x360(D) mm/ 2 Shelves
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	Utility Bin/ Monitor Holder



EC-006D

Н	1552mm
Shelf	457(W)x360(D) mm/ 2 Shelves
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	Basket/Storage Drawer Monitor Holder



EC-007M

Н	1552mm
Shelf	457(W)x360(D) mm/ 1 Shelf
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	Storage Drawer/ Monitor Holder



ECG / EKG CART

Rollsys' ECG/EKG Cart is designed to fit most ECG equipment and provide mobility to improve efficiency.

Each part and accessory

is designed to be interchangeable, maximizing the product variety. Below presents an overview of optional accessories and our standard models of ECG/EKG Carts.








Design Features


A storage drawer underneath the table, allowing users to keep the spare recording paper from the ECG device.


The front holder of patient cable arm can be customized, and the arm also comes with different materials.

THREE-VIEW DRAWING



Base Footprint









ECG-NK03

T.T	340(W) x 390(D)mm
Н	873 - 1077 mm
B.F	406(W) x 447(D)mm
Caster	3" twin-casters



ECG-010

T.T	335(W) x 369(D)mm
Н	820 - 1024 mm
B.F	478(W) x 577(D)mm
Caster	4" twin-casters





Special paper-feeding shelf for certain ECG devices.



ECG-010D

T.T	335(W) x 369(D)mm
Н	820 - 1024 mm
B.F	478(W) x 577(D)mm
Caster	4" twin-casters



ECG-001D

T.T	335(W) x 369(D)mm
Н	804 mm
B.F	478(W) x 577(D)mm
Caster	4" twin-casters



ECG-001

T.T	335(W) x 369(D)mm
Н	804 mm
B.F	478(W) x 577(D)mm
Caster	4" twin-casters



ECG-007

T.T	335(W) x 369(D)mm
Н	860 - 1220 mm
B.F	406(W) x 447(D)mm
Caster	3" twin-casters





ULTRASOUND CART

Rollsys' ultrasound cart is designed to fit most kinds of portable ultrasound equipment and provide mobility and improve work efficiency.

With the modular design of each part and accessory, we are able to build cart to fit the ultrasound equipment used in different divisions in the hospital.

PRODUCT FEATURES





The tabletop of Ultrasound Cart is made with tracks on both sides, allowing users to adjust the probe holders to the convenient position or add other accessory holders if needed. One table can add up to 5 probe holders and 1 gel bottle holder.






ULTRASOUND CART

Modular Design Concept

Rollsys designed each parts and accessories to be interchangeable, maximizing the product variety.




PRODUCT FEATURES








Cable Management

THREE-VIEW DRAWING













Н	814 - 1024 mm
T.T	524(W)x500(D) mm/2 Probes
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	N/A



UC-011A

Н	814 - 1024 mm
T.T	354(W)x390(D) mm/5 Probes
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	Utility Bin



ULTRASOUND CART

Standard Selection

Standard Ultrasound Carts listed here are to provide an idea of how each model is designed.



UC-008

Н	807 mm
T.T	524(W)x500(D) mm/2 Probes
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	Utility Bin



UC-012A

Н	807 mm
T.T	354(W)x390(D) mm/5 Probes
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	Shelf



UC-IVIZ

Fujifilm SonoSite Iviz

Н	844 - 1327 mm
T.T	N/A /2 Probes
B.F	Ф 20"
Caster	3" twin-casters
Accessories	Basket / Adapter Holder

DISPLAY SUPPORT

Mount Pattern	75 x 75 / 100 x 100 mm(VESA)
Weight Capacity	17.6 lbs (8kg) for each holder
Swivel	± 20°
Tilt	± 20°
Pivot	360°









UC-UF-760AG

Н

Fukuda Denshi UF-760AG

Н	800 mm	Н
т.т	400(W)x410(D) mm/ 2 Probes	т.т
B.F	478(W)x577(D) mm	B.F
Caster	4" twin-casters	Caster
Accessories	Utility Bin/Printer Holder/ Monitor Holder	Access

UC-M-TURBO

FujiFilm SonoSite M-Turbo

Н	800 mm
т.т	450(W)x446(D) mm/ 2 Probes
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	Utility Bin/Printer Holder/ Monitor Holder

UC-3200T


Н	808 mm
т.т	420(W)x403(D) mm/ 3 Probes
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	Utility Bin/Printer Holder/ Monitor Holder/Adapter Holder

Terason uSmart 3200T

UC-I7

Alpinion E-CUBE i7

Н	856 mm
T.T	385(W)x345(D) mm/
	3 Probes
B.F	478(W)x577(D) mm
Caster	4" twin-casters
Accessories	Utility Bin/Printer Holder/
Accessories	Adapter Holder



MONITOR MOUNT:

Other than the regular equipment mount, Rollsys provides customized equipment mounts no matter large or small.







ACCESSORIES:





MEDICAL ROLL STAND

Modular Design

Rollsys designed each part and accessory to be interchangeable, maximizing the product variety. Below presents an overview of optional accessories and helps you configure an ideal Roll Stand.





Quick Release Anodized Aluminum



Quick Release Anodized Aluminum



Fixed Mount Powder Coated Steel



VESA Mount Anodized Aluminum 75 x 75/ 100 x 100 mm



Tablet Holder For 9 to 11 inch



Tablet Holder For 11 to 13 inch



Customized Mount



478(W) x 577(D) mm BASE



Large 4 Prong Base

Powder Coated Aluminum

Large 5-leg Low Center of Gravity Base Power Coated Aluminum Φ24 inch



Small 4 Prong Base Powder Coated Aluminum 406(W) x 447(D) mm



KD 5-Leg Base Powder Coated Aluminum Φ24 inch



Small 4 Prong Base Powder Coated Aluminum 460 x 460 mm



Plastic Base Heavy Duty High Grade Nylon Φ22 inch



Large 4 Prong Base Powder Coated Aluminum 531(W) x 657(D) mm



Stackable Base Powder Coated Cast Iron Φ20/ Φ24 inch



Large 4 Prong Low Center of Gravity Base Powder Coated Aluminum 510(W) x 605(D) mm



Painted Cast Iron Φ22/ Φ24.5 inch



Large 4 Prong Base Powder Coated Aluminum 531(W) x 559(D) mm



6 Prong Heavy Duty Base KD 6 Prong Heavy Duty Base Painted Steel Ф25.4 inch



Small 5-Leg Low Center of Gravity Base

Powder Coated Aluminum

Φ20 inch





3" Casters Load Capacity: 40 kg



3" Medical Casters Load Capacity: 40 kg



3"/4"/5" Twin- Casters Load Capacity: 60/100/100 kg






MEDICAL ROLL STAND

Standard Selection Standard Roll Stands listed here are to provide an idea of how each parts are assembled. Parts can be customized, changed, and added to the standard model to meet different demands.

THREE-VIEW DRAWING





IMS-013 H B.F 796 - 996 mm Caster 406(W) x 447(D) mm 3" twin-casters



IMS-014

Н	
B.F	911 - 1111 mm
Caster	406(W) x 447(D) mm
04,510.	3" twin-casters



IMS-003B

Н	741 - 1216 mm
Pole	Ф 1½"(U.Р) / Ф 2" (В.Р)
B.F	Ф 24"
Caster	3" twin-casters



IMS-016F

Н	843 - 1326 mm
Pole	Φ 1¼" (U.P) / Φ 1½" (B.P)
B.F	Ф 20"
Caster	3" twin-casters



IMS-002A

Н	817 - 1298 mm
Pole	Ф 1¼" (U.Р) / Ф 1½" (В.Р)
B.F	Ф 20"
Caster	3" twin-casters



IMS-017TB

Н	765 - 1240 mm
Pole	Ф 1½" (U.Р) / Ф 2" (В.Р)
B.F	Ф 24"
Caster	3" twin-casters



IMS-009C

Н	751 - 1226 mm
Pole	Ф 1½" (U.Р) / Ф 2" (В.Р)
B.F	406(W) x 447(D) mm
Caster	3" twin-casters



IMS-012A

Н	876 mm
Pole	Ф 1"
B.F	Ф 20"
Caster	3" twin-casters




VENTILATOR CART

Rollsys provides customized device mounting to accommodate different kinds of ventilators and the necessary components.










THREE-VIEW DRAWING





VENTILATOR CART

Standard Selection

Standard Roll Stands listed here are to provide an idea of how each model is designed.







RS-MT60

Gas Spring Lift Mechanism

Description	Specially for Air Liquide Monnal T60 Ventilator
Н	1065 - 1265 mm
B.F	406(W) x 447(D) mm
Caster	4" twin-casters

RS-VELA

Gas Spring Lift Mechanism

Description	Specially for VELA Ventilator
Н	850 ~ 1050 mm (Tabletop)
B.F	478(W) x 577(D) mm
Caster	4" twin-casters

RS-005

Description	Cylinder Holder x 2 / Humidifier Mounting Bracket x1 / Medical Rail x 1
Н	743 ~ 1218 mm
B.F	406(W) x 447(D) mm
Caster	3" twin-casters



RS-001

Description	Cylinder Holder x1 / Humidifier Mounting Bracket x1 / Medical Rail x 1
Н	702 ~ 1177 mm
B.F	Ф24"
Caster	3" twin-casters

RS-003

DescriptionCylinder Holder x1 Humidifier Mounting Bracket x1 Medical Rail x 1

1664 ~ 2226 mm

Ф24" B.F

Caster 3" twin-casters



RS-004

B.F






IV / INFUSION PUMP STAND


Modular Design

Rollsys' IV Stands and Infusion Pump Stands come in many different forms. Below presents an overview of optional accessories and helps you configure an ideal IV Stands or Infusion Pump Stand.

THREE-VIEW DRAWING



Н





2 Hook IV Pole Chrome plated Steel



6 Hook IV Pole 4 Hook IV Pole Chrome plated Steel Chrome plated Steel



8 Hook IV Pole Chrome plated Steel





Utility Bin (PP) 422 x 330 x 125 mm



Multi-Purpose Utility Bin ABS 309 x 217 x 150 mm



Tubular Basket Powder Coated Steel 358 x 239 x 195 mm



Wire Basket

Powder Coated Steel

Shelf Powder Coated Steel 300(W) x 340(D)mm



Shelf Powder Coated Steel 394(W) x 215(D) mm





Grip Handle Anodized Aluminum



Grip Handle ABS For Φ 25mm Pole



Drip Glass with Holder PC For Φ 25mm Pole



Holder for Urine Drainage Bag Anodized Aluminum



Universal Pole Clamp Anodized Aluminum For Any Pole Diameter



Universal C Clamp Anodized Aluminum For pole Φ 7/8" to Φ 1 7/8"



Medical Rail Length: 160/400 mm





Large 5-Leg Low Center of Gravity Base



Powder Coated Aluminum Φ 24 inch



Plastic Base Heavy Duty High Grade Nylon Φ 22 inch



Small 5-Leg Low Center of Gravity Base Powder Coated Aluminum Φ 20 inch



KD 6 Prong Heavy Duty Base Painted Steel Φ 25.4 inch





KD 5-Leg Base

Powder Coated Aluminum

Φ 24 inch

6 Prong Heavy Duty Base Painted Cast Iron Φ 22/ Φ 24.5 inch



Stackable Base Powder Coated Cast Iron Φ 20/ Φ 24 inch





3"/ 4"/ 5" Twin- Casters Load Capacity: 60 / 100 / 100 kg



3" Casters Load Capacity: 40 kg



3" Medical Casters Load Capacity: 40 kg






IV STAND

Standard Selections

Standard IV Stands listed here are to provide an idea of how each IV stand is designed.







B.F

Φ24"

Caster 3" twin-casters







INFUSION PUMP STAND

Standard Selections Standard Infusion Stands listed here are to provide an idea of how each infusion stand is designed. The durable chrome plated steel pole in this selection can mount infusion pumps while maintaining stability.









IVS6-003

Hook	4 Hooks
Н	1665 - 2247 mm
Pole	Φ %" (U.P) / Φ1¼"(M.P) / Φ1½"(B.P)
B.F	Ф25.4"
Caster	4" twin-casters





KD Base Heavy Duty

IVS6-005

Hook	2 x 4 Hooks
Н	1695 - 2252 mm
Pole	Φ %" (U.P) / Φ1¼"(M.P) / Φ1½"(B.P)
B.F	Ф25.4"
Caster	4" twin-casters





IVS6-010

Hook	2 x 4 Hooks
Н	1683 - 2240 mm
Pole	Φ 1/4" (U.P) / Φ11/4"(M.P) / Φ11/2"(B.P)
B.F	Ф24.5"
Caster	3" twin-casters






CLASSIC CART

Rollsys' Classic Cart is designed to increase the mobility of workstation in healthcare environment, laboratory, or office.



MULTIFUNCTIONAL MODULAR ACCESSORIES

THREE-VIEW DRAWING



Tabletop

Other than tabletop with metal texture, Rollsys' also provides wooden texture tabletop for more comfortable touch. A VESA mount can also be added to the table and make the cart a light workstation.



Laptop Security Bracket

Optional laptop security bracket can also be added to prevent theft.



Tablet Holder

Rollsys provides two options for tablet holders, one for tablets smaller than 11", another one for tablets up to 13" large.



CLASSIC CART

Standard Selections

Standard Classic Carts listed here are to provide an idea of how each cart is designed.







BAA-006

Н	791 x 995 mm
W.S	460(W) x 355(D)
B.F	mm 406(W) x
Caster	447(D) mm 3" twin-

BAW-004Z

Н	803 x 1007 mm
W.S	619(W) x 501(D)
B.F	mm 406(W) x
Caster	447(D) mm 3" twin-
	castors

CC-003

Н	1026 mm 540(W) x	
W.S	444(D) mm 478(W)	
B.F	x 577(D) mm 4"	
Caster	twin-casters	

/1 casters

casters







BAA-005B

Н	791 - 995 mm
W.S	460(W) x 355(D)
B.F	mm 406(W) x
Caster	447(D) mm 3" twin-
	casters

CC-005

Н	814 - 1024 mm
W.S	460(W) x 355(D)
B.F	mm 478(W) x
Caster	577(D) mm 4" twin-
	casters

CC-006

Н	814 - 1024 mm
W.S	460(W) x 355(D)
B.F	mm 478(W) x
Caster	577(D) mm 4" twin-
	casters



MRI Compatible models include many different carts and stands for

the medical equipment needed in the MRI room. All components are non-magnetic and MRI-safe, specifically designed for the MRI environment. Here are some models that Rollsys have been supplying. To tailor an MRI cart please feel free to contact us for more options.







RS-004MRI



IVS5-005MRI

MOUNTING SOLUTION

The mounting solution Rollsys provided is designed to help users move the monitor into multiple positions effortlessly with a light touch, lift, or swing.

Mounting Options









WALL MOUNT

Wall mount offers equipment mount or VESA monitor mount as options. Each VESA mount supports monitors up to 24 inch or 8 kg screen.







WM-001

Tilt	50°
Pivot	360°



Tilt	50°
Pivot	360°





WM-003

Tilt(Arm)	-30° ~ +65°
Tilt	50°
Pivot	360°

WM-004

Pivot	360°
-------	------



WALL MOUNT

DISPLAY SUPPORT

Panel Size	~ 24"
Mount Pattern	75 x 75 / 100 x 100 mm (VESA)
Weight Capacity	17.6 lbs (8kg) for each holder



WM-005

Pivot 360°



WM-006

Tilt (Arm) -30° ~ +65° **Pivot** 360°



Tablet Holder

WM-007

 Tilt
 -5° ~ +150°

 Pivot
 360°

 Payload
 2.6 lbs (1.2kg)



Tablet Holder

WM-008

 Tilt
 -5° ~ +150°

 Pivot
 360°

 Payload
 2.6 lbs (1.2kg)



WM-001A

 Tilt
 50°

 Pivot
 360°



WM-002A

 Tilt
 50°

 Pivot
 360°



Wall Track

WM-003A

Tilt (Arm)

7ilt -30° ~ +65° Pivot 50° 360°



Wall Track

WM-004A

Pivot 360°



Wall Track

WM-005A

Pivot 360°



WM-13

Tilt (Arm)			
Tilt	-30°	~	
Swivel	+65°	-20°	
Rotate	~	+90°	
	+90°		



WM-11

Tilt (Arm)	-30	°~
Tilt	+65°	-20°
Swivel	~ +90	0
Pivot	±90°3	360°



Wall Track

WM-006A

Tilt	-30° ~ +65°
Pivot	360°



WM-13A

Tilt	-30°	~	
(Arm)	+65°	-20°	
Tilt	~	+90°	
Swivel	±90°		
Rotate	360°		



WM-12

Tilt (Arm)	-30°	~
Tilt	+65°	-20°
Swivel	~ +90	0
Pivot	±90°3	360°



Wall Track

WM-009B

Tilt	-5° ~ +150°
Pivot	360°
Payload	2.6 lbs (1.2kg)



WM-14

Tilt (Arm)		
Tilt	-30°	~
Swivel	+65°	-20°
Rotate	~	+90°
	±90°	
	2/00	



WM-11A

Tilt (Arm) -30	0 ~
Tilt	+65°	-209
Swivel	~ +90	0
Pivot	±90°	360°



wall frack

WM-010B

Tilt	-5° ~ +150°
Pivot	360°
Payload	2.6 lbs (1.2kg)



WM-14A

Tilt	-30°	~
(Arm)	+65°	-20°
Tilt	~	+90°
Swivel	±90°	



WM-15

Tilt (Arm)	-30°~ +65°
Tilt	±15°
Swivel	±90°
Pivot	360°



DESK MOUNT

DISPLAY SUPPORT

Panel Size	~ 24"
Mount Pattern	75 x 75 / 100 x 100 mm (VESA)
Weight Capacity	17.6 lbs (8kg) for each holder



MRG-3A

Tilt (Arm)	-30° ~ +65°
Tilt	-20° ~ +90°
Swivel	±90°
Rotate	360°



MRC-5

Tilt	±20°	
Swivel	±20°	
Pivot	±90°	



MRG-4A

Tilt (Arm)	-30° ~ +65°
Tilt	-20° ~ +90°
Swivel	±90°
Rotate	360°



MRC-2A

Tilt (Arm)	-30° ~ +65°
Tilt	-20° ~ +90°
Swivel	±90°
Rotate	360°



MRG-1A

Tilt	±20°
Swivel	±20°
Pivot	±90°



MRC-3A

Tilt (Arm)	-30° ~ +65°
Tilt	-20° ~ +90°
Swivel	±90°
Rotate	360°



MRC-1A

Tilt	±20°
Swivel	±20°
Pivot	±90°



MRC-4A

Tilt (Arm)	-30° ~ +65°
Tilt	-20° ~ +90°
Swivel	±90°
Rotate	360°



OVERBED TABLE

Designed for hospital patients to perform their tasks without having to get off the beds. Rollsys' Overbed Table can also have a monitor mount. By adding a touch-screen monitor or a tablet, patients are able to call for help, order meals, and enjoy entertainment on bed.



Similar to the Wall Mount series, users can easily maneuver monitor with light touch, the lift or swing. The monitor mount on the table can also be changed to a tablet holder.



The back of the monitor mount is equipped with cable management accessories, and can also be replaced with other accessories if needed.



TABLET HOLDER

With the advancement of imaging technology, the imaging system can be integrated into thinner and thinner monitors. To adapt to the change, Rollsys provides two different sizes of tablet holders to accommodate different sizes of medical tablets.

The Tablet Holders can be applied to either carts, roll stands, or wall mount, and are also equipped with locks to prevent theft.







The holder is able to rotate 360°.



Tablet Holder for 11 to 13 inch:Suitable for tablet with thickness less than 1.2 cm. The holder is able to mount on any 75 x 75 VESA mount.



OPERATING ROOM INTEGRATION SYSTEM CART

A transformation of Rollsys' Computer Cart. This cart is designed to support medical staff in the operating room by integrating the imaging, conference, and OR hardware (surgical table, ceiling mounted equipment, or C-arm) control into one cart.



COMPATIBLE BRAND DESIGN

Better Enterprise's R&D team is exprienced in medical technology and has created various Medical Device Mounting Solutions for customers from different healthcare industry.

Our products are designed with durability and stability to ensure safe and reliable in your work places.



Air Liquide Air Liquide Monnal T60 Alpinion Ultrasound Cart UC-17 Biolitec Leonardo Dual 45 Leonardo Dual 45 IMS-003BL2 IMS-003BL3 Bionet Bionet Bionet BM5 CareFusion CareFusion VELA Ventilator Fujifilm Fujifilm SonoSite iViz Fujifilm SonoSite M-Turbo UC-M-TURBO Fukuda FX-8322 / VS-1500 Fukuda FX-7202 / 8222 Fukuda VS-2000 Fukuda UF-450AX Fukuda UF-760AG Paulus GIGAA LASER GIGAA LASER Gbox Diode Laser System MINDRAY MINDRAY MINDRAY MINDRAY iMEC8 Samsung Samsung Galaxy Tab A 10.1 Terason Terason uSmart 3200T Terason uSmart 3300 The 37Company Air Warming Systems IMS-012A		Device	Cart Item No.
Biolitec Leonardo Dual 45 Leonardo Dual 45 Leonardo Dual 45 IMS-003BL2 IMS-003BL3 Bionet Bionet Bionet BM5 CareFusion CareFusion VELA Ventilator Fujifilm Fujifilm SonoSite iViz Fujifilm SonoSite M-Turbo Fukuda FX-8322 / VS-1500 Fukuda FX-8322 / VS-1500 Fukuda FX-7202 / 8222 Fukuda VS-2000 Fukuda UF-450AX Fukuda UF-760AG Paulus GIGAA LASER GIGAA LASER Gbox Diode Laser System MINDRAY MI	Air Liquide	Air Liquide Monnal T60	RS-MT60
Bionet Bionet Bionet Bionet BM5 CareFusion CareFusion VELA Ventilator Fujifilm Fujifilm SonoSite iViz Fujifilm SonoSite M-Turbo Fukuda FX-8322 / VS-1500 Fukuda FX-7202 / 8222 Fukuda VS-2000 Fukuda UF-450AX Fukuda UF-760AG Paulus GIGAA LASER GIGAA LASER GBox Diode Laser System MINDRAY MINDRAY	Alpinion	Ultrasound Cart	UC-I7
Leonardo Dual 45 Bionet Bionet Bionet BM5 CareFusion CareFusion VELA Ventilator Fujifilm Fujifilm SonoSite iViz Fujifilm SonoSite M-Turbo Fukuda FX-8322 / VS-1500 Fukuda FX-7202 / 8222 FUKUDA Fukuda VS-2000 Fukuda UF-450AX Fukuda UF-760AG Paulus GIGAA LASER GIGAA LASER GIGAA LASER GIGAA LASER GIGAA LASER GIGAA LASER MINDRAY MINDRA	Riolitos	Leonardo Dual 45	IMS-003BL2
CareFusion CareFusion VELA Ventilator RS-VELA	Biotitec	Leonardo Dual 45	IMS-003BL3
Fujifilm Fujifilm Fujifilm SonoSite iViz UC-IVIZ	Bionet	Bionet BM5	IMS-003TBUA
Fujifilm Fujifilm SonoSite M-Turbo UC-M-TURBO Fukuda FX-8322 / VS-1500 ECG-FB01 Fukuda FX-7202 / 8222 ECG-FS01 Fukuda VS-2000 IMS-VS20 Fukuda UF-450AX UC-FD450 Fukuda UF-760AG Paulus UC-UF-760AG GIGAA LASER Gbox Diode Laser System EC-GBOX MINDRAY IMS-IMEC8 Samsung Samsung Galaxy Tab A 10.1 IMS-005APH SunTech Terason uSmart 3200T UC-3200T Terason uSmart 3300 UC-3300 Air Warming Systems	CareFusion	CareFusion VELA Ventilator	RS-VELA
Fujifilm SonoSite M-Turbo UC-M-TURBO	r::film	Fujifilm SonoSite iViz	UC-IVIZ
FUKUDA Fukuda FX-7202 / 8222 Fukuda VS-2000 Fukuda UF-450AX Fukuda UF-760AG Paulus GIGAA LASER GIGAA LASER Gbox Diode Laser System MINDRAY	Fujinim	Fujifilm SonoSite M-Turbo	UC-M-TURBO
FUKUDA FUKUDA FUKUDA FUKUDA FUKUDA IMS-VS20 UC-FD450 UC-FD450 UC-FD450 UC-UF-760AG GIGAA LASER Gbox Diode Laser System EC-GBOX MINDRAY MINDRAY iMEC8 IMS-IMEC8 Samsung Samsung Galaxy Tab A 10.1 IMS-005APH SunTech CT40 IMS-001A Terason uSmart 3200T UC-3200T Terason uSmart 3300 UC-3300 Air Warming Systems		Fukuda FX-8322 / VS-1500	ECG-FB01
FURUDA VS-2000 Fukuda UF-450AX Fukuda UF-760AG Paulus GIGAA LASER GIGAA LASER Gbox Diode Laser System MINDRAY MINDRAY MINDRAY MINDRAY iMEC8 Samsung Samsung Galaxy Tab A 10.1 SunTech Terason Terason uSmart 3200T Terason uSmart 3300 Air Warming Systems UC-FD450 UC-UF-760AG EC-GBOX IMS-005APH IMS-005APH UC-3200T Terason uSmart 3300 Air Warming Systems		Fukuda FX-7202 / 8222	ECG-FS01
Fukuda UF-760AG Fukuda UF-760AG Paulus GIGAA LASER GIGAA LASER Gbox Diode Laser System MINDRAY MINDRAY MINDRAY iMEC8 Samsung Samsung Galaxy Tab A 10.1 SunTech Terason Terason uSmart 3200T Terason uSmart 3300 Air Warming Systems UC-UF-760AG EC-GBOX IMS-IMEC8 IMS-005APH IMS-001A Terason uSmart 3200T UC-3200T Terason uSmart 3300 Air Warming Systems	FUKUDA	Fukuda VS-2000	IMS-VS20
GIGAA LASER GIGAA LASER Gbox Diode Laser System MINDRAY MINDRAY MINDRAY MINDRAY iMEC8 Samsung Samsung Galaxy Tab A 10.1 SunTech CT40 Terason Terason uSmart 3200T Terason uSmart 3300 Air Warming Systems LMS 0124		Fukuda UF-450AX	
MINDRAY MINDRAY iMEC8 IMS-IMEC8 Samsung Samsung Galaxy Tab A 10.1 IMS-005APH SunTech CT40 IMS-001A Terason Terason uSmart 3200T UC-3200T Terason uSmart 3300 UC-3300		Fukuda UF-760AG Paulus	UC-UF-760AG
Samsung Samsung Galaxy Tab A 10.1 IMS-005APH SunTech IMS-001A Terason UC-3200T Terason uSmart 3300 UC-3300 Air Warming Systems IMS 012A	GIGAA LASER	5.2 5.1 1.7 2.7 5.15 5.15 5.15 5.15	EC-GBOX
CT40 IMS-001A	MINDRAY	MINDRAY iMEC8	IMS-IMEC8
Terason uSmart 3200T UC-3200T Terason uSmart 3300 UC-3300 Air Warming Systems IMS-001A UC-3200T Terason uSmart 3300 UC-3300	Samsung	Samsung Galaxy Tab A 10.1	IMS-005APH
Terason UC-3300 UC-3300	SunTech	CT40	IMS-001A
Terason uSmart 3300 UC-3300 Air Warming Systems	Toracon	Terason uSmart 3200T	UC-3200T
The 37Company Air Warming Systems IMS-012A	Terason	Terason uSmart 3300	UC-3300
	The 37Company	Air Warming Systems	IMS-012A

	Device	Cart Item No.
	GE MAC - 2000 / 3500 / 5500	ECG-5500
	GE B20 / B450 / B650 / B850	IMS-B650
GE	GE Giraffe Blue Spot PT Lite	IMS-BS01
GE	GE Lullaby LED Phototherapy System	IMS-
	GE V100	LUB01
	GE LOGIQ E	IMS-V100
		UC-LOG01 ECG-NK02
NTUON KOUDEN	CardioFaxS ECG-1250K / 1950K	ECG-NK03
NIHON KOHDEN	CardioFaxM ECG-2360 / 1350K	IMS-003B-N
	PVM-2700 / 2701	IMS-NK01
	NIHON KOHDEN SVM-7601	
Nordic Laser	ENERGY-LASER X1200 SKIN / X1 L5000 / X1-L3000 MULTI	ECG-008
Pentax	VIVIDEO Philips PageWriter	EC-VIVIDEO
DUTITO	TC30	ECG-TC01
PHILIPS	Philips Efficia CM150	IMS-003YGB
	Philips InnoSight RESMED Astral	UC-ML01
KESMED	Series	IMS-YGRM01
Siemens Tel Des	Siemens Acuson P300	UC-P300
Tai Doc	Tai Doc TD-2300	IMS-003TH1
ZOLL	ZOLL AutoPulse Resuscitation System	IMS-AP100
	ZOLL R series Monitor Defibrillator	IMS-R



ACCESSORIES

Various choices of Accessories allow all support system to be configured or modified for specialist functions and perfectly meet your requirements.

Visit

www.rollsys.com

for complete information on Accessories.



Utility Bin



ABS 334 x 123 x 163 mm



Wire Basket



Powder Coated Steel 358 x 237 x 183 mm

Powder Coated Steel

358 x 239 x 195 mm



Fixed Mount



Powder Coating, Steel



Multi-Purpose Utility Bin



309 x 217 x 150 mm



Tubular Basket (L)



Fixed Angle Mount



Quick Release Anodized Aluminum



Utility Bin



422 x 330 x 125 mm



Tubular Basket (S)



Powder Coated Steel 308 x 188 x 182 mm



Tiltable Monitor Mount



Anodized Aluminum Tilt Angle: 135°



Angle Adjustable Mount



Quick Release Anodized Aluminum



Shelf



Powder Coated Steel 457(W) x 360(D) mm



Pole Clamp



For Φ 1/8" / Φ 1" / Φ 11/4" / Φ 11/2" Pole



Tablet Holder



For 11 inch and smaller Tilt Angle : $-5^{\circ} \sim +150^{\circ}$ Pivot: 360° Payload: 2.6 lbs (1.2 kg)



Shelf



Powder Coated Steel 394(W) x 215(D) mm



Universal C Clamp

Rail Clamp



Anodized Aluminum For Φ 1/8" ~ Φ 1/8" Pole



Grip Handle



Anodized Aluminum



Shelf



Anodized Aluminum Compatible with Humidifier Mounting Bracket, Waterbag pole, and Arms



Powder Coated Steel 300(W) x 340(D) mm



Probe Holder



Plastic 108 x 87 x 90 mm



Pole Clamp

Anodized Aluminum




Universal Pole Clamp





Gel Bottle Holder







Universal Adapter Holder with Cable Cleat

Various sizes are avaible



Cylinder Holder

Powder Coated Steel For Gas Cylinder max with $\,\Phi\,115$ mm



Cylinder Holder

Powder Coated Steel For Gas Cylinder max with Φ 115mm



Mouse Holder

•

Powder Coated Steel 68 x 44 x 124 mm



Holder for Urine Drainage Bag

•

1

Anodized Aluminum



Barcode Scanner Holder

1

1

PC+ABS 51 x 67 x49mm



Grip Handle



ABS For 25mm pole



Drip Glass with Holder



Medical Rail



PC For Φ 1" Pole



Anodized Aluminum Lengh: 160 mm / 400 mm



CPU Holder



Powder Coated Steel 320 x 212 x 300 mm



Printer Holder



Powder Coated Steel 192 x 252 x 189 mm



Printer Holder



Powder Coated Steel 205 x 90 x 165 mm



Humidifier Mounting Bracket



Anodized Aluminum Compatible with F&P



2 Hook IV Pole



Chrome plated Steel For Φ 3/4" / Φ 7/8" Pole



4 Hook IV Pole



Chrome plated Steel For Φ 3/4" / Φ 7/8" Pole



Humidifier Mounting Bracket / Arm Support



E Coated Aluminum Compatible with F&P



6 Hook IV Pole



Chrome plated Steel For Φ 3/4" / Φ 7/8" Pole



8 Hook IV Pole



Chrome plated Steel For Φ 3/4" / Φ 7/8" Pole

Storage Drawer



Laptop Security Bracket



Powder Coated Steed For Molded Tabletop with Laptop Enclosure



Storage Drawer

Anodized Aluminum and PP

360 x 320 x 120 mm



Powder Coated Steel 391 x 360 x 153 mm



VESA Monitor Mount



Anodized Aluminum 75 x 75 / 100 x 100 mm (VESA) Tilt Angle: 135° Pivot: 360°



Monitor Holder



Anodized Aluminum 75 x 75 / 100 x 100 mm (VESA) Optional for 160 / 360 /460 mm pole length Weight capacity: 8 kg



Dual Monitor Holder



Anodized Aluminum 75 x 75 / 100 x 100 mm (VESA) Optional for 160 / 360 / 460 mm pole length Weight capacity: 8 kg for each holder



6 5" Twin-Casters

Load Capacity: 100 kg



3" Twin-Casters (MRI)

6

Dedicated for MRI use Load Capacity: 60 kg



4 Prongs Base

Powder Coated Aluminum 457(W) x 508(D) mm



4" Twin-Casters



Load Capacity: 80 kg



3" Medical-Casters



Load Capacity: 40 kg



4 Prongs Base (L)



Powder Coated Aluminum 478(W) x 577(D) mm



4" Twin-Casters



Load Capacity: 100 kg



Base Bumper Guard



4 Prongs Base (S)



Fluorescent, ABS



Powder Coated Aluminum 406(W) x 447(D) mm



3" Twin-Casters



Load Capacity: 60 kg



6 Prongs Heavy Duty Base (25.4")



Painted Steel For Ø11/4" / Ø11/2" Pole



5-Leg Low Center of Gravity Base (24")



Powder Coated Aluminum For Ø 1" / Ø 11/4" / Ø 11/2" / Ø 2" Pole



5-Leg Low Center of Gravity Base (20")



Powder Coated Aluminum For Ø 1" / Ø 1¼" / Ø 1½" Pole



Stackable Plastic Base (22")



Heavy Duty Hight Grade Nylon For 1", 1½" Pole



KD 5-Leg Base



Powder Coated Aluminum Φ 24 inch



5-Leg Low Center of Gravity Base (20")



Powder Coated Aluminum For Ø 1" / Ø 11/4" / Ø 11/2"Pole



Prongs Heavy Duty Base (22")



Painted Cast Iron For Ø 1" / Ø1½" Pole



Large 4 Prong Base



Powder Coated Aluminum 531(W) x 559(D) mm



Stackable Base (20")



6 Prongs Heavy Duty Base (24.5")



Large 4 Prong Low



Powder Coated Cast Iron For Ø 1" / Ø1½" Pole



Painted Cast Iron For Ø 1" / Ø1½" Pole



Center of Gravity Base



Powder Coated Aluminum 510(W) x 605(D) mm



Stackable Base (24")



Powder Coated Cast Iron For Ø 1" / Ø1½" Pole



Small 4 Prong Base




Powder Coated Aluminum 460 x 460 mm



Large 4 Prong Base



Powder Coated Aluminum 531(W) x 657(D) mm



Tablet Holder

For 11 to 13 inch
Tolt Angle: 0° ~ +135°
Pivot: 360°

Payload: 2.6 lbs(1.2kg)



Waterbag Pole

Stainless Steel Length: 1051mm Pole: Φ 0.5"



Waterbag Pole (Bent)

Stainless Steel Length: 916 mm Pole: Φ 0.5"












Gooseneck Length: 145 mm Upper joint - elbow joint : 400 mm Elbow joint - base joint : 400 mm



Central Lock -

Arms can move freely by loosening the Knob



Universal ECG Patient Cable Arm



Circuit Support Arm



Aluminum

Universal ECG

Patient Cable Arm

Fully Extended Length: 860 mm Upper joint - elbow joint: 350 mm Elbow joint - base joint: 450 mm




7



Fully Extended Length: 860 mm Upper joint - elbow joint: 400 mm Elbow joint - base joint: 400 mm



Gooseneck Length: 145 mm Upper joint - elbow joint: 350 mm Elbow joint - base joint: 450 mm



Mobile computer carts/

Ultrasound Cart / Medical Roll Stand

MRI Compatible Cart / Ventilator Cart /

IV & Infusion Pump Stand / ECG & EKG Carts



EnterpriseStationery.com

ESL

Enterprise Stationery Ltd

Silverwood Industrial Area, Lurgan

Northern Ireland BT66 6LN

Tel +44 (0)28 3832 6718

Enquiries@EnterpriseStationery.com



Quality Management System
ISO 14001
Environmental Management System